

LED Strips & extrusions

Flexible to fit anywhere



Our experience in manufacturing high quality LED lighting, combined with our constant drive to create innovative, eco-friendly products provide our customers the excellence they rightfully deserve. This range offers varying brightness LED Strips available in a host of options with a vast choice of aluminium LED extrusions to suit each need and create various moods.

LED Extrusions & Strips

Simple and easy to use, mix and match our Aleph 1-BL LED strips to suit your indoor project or application while keeping within your budget.

1. Select your housing

Select your housing from our vast range of aluminium extrusions. Different sizes, shapes and diffusers options are available such as:

- Angled extrusions for corner mount (8ED)
- Low profile for mounting in grooves (8EG)
- Rounded diffuser for a wider diffusion (8EL)
- Waterproof (8ER)
- Or double strip width for higher brightness (8ES)

2. Select your light

Select your LED strips : RGB, Warm White or Cool White depending on the mood you want to create.

Available in full 5 metre rolls, including a connector kit, or cut to required length.

3. Select the power supply

Select your 24V power supply among 5 different power options.

4. Optional

You may select our manual mounted controllers to complete a perfect easy and affordable LED lighting solution.

► It is as simple as this :



► Housings



▶ LED strips

9CL *

- Standard bright
- 562 lm/meter
 - 120 leds/meter



9CM *

- Medium bright
- 840 lm/meter
 - 120 leds/meter



9CH *

- High bright
- 1385 lm/meter
 - 120 leds/meter



9CU *

- Ultra bright
- 1700 lm/meter
 - 120 leds/meter



9CY

- Medium bright CTA



9VL4

- High quality RGB
- 60 leds/meter



▶ LED Strips

- * Available in white, natural and warm white
(9CM also comes in Candle)

▶ Power supplies

- 24V Power Supplies



- All kit include mounting clips & end caps



▶ Optional accessories

- Aleph 1 CV rack



- Aleph CV LED Tape Driver



- Smart controllers



- Strip Touch dimmers



▶ Applications

- Retail
- Showroom
- Home
- Cabinet
- Outdoor area
- Library
- Reception area
- Meeting room



► Specifications

DC Power	W/m	LED Quantity	Product Family	Product Code	Colour		lm/m	Input Current		IP	Reel Length	Strip Width	Cuttable	Maximum Continuous length	
								1m	5m						
24V	6.4	120/m	9CL	9CL1	White	6000K	562	0.27A	1.34A	20	50m	11mm	50mm	17m	
24V	6.4	120/m		9CL2	Natural White	4000K	562	0.27A	1.34A	20	50m	11mm	50mm	17m	
24V	6.4	120/m		9CL3	Warm White	3000K	562	0.27A	1.34A	20	50m	11mm	50mm	17m	
24V	9.6	120/m	9CM	9CM1	White	6000K	840	0.4A	2A	20	50m	11mm	50mm	13m	
24V	9.6	120/m		9CM2	Natural White	4000K	840	0.4A	2A	20	50m	11mm	50mm	13m	
24V	9.6	120/m		9CM3	Warm White	3000K	840	0.4A	2A	20	50m	11mm	50mm	13m	
24V	9.6	120/m		9CM4	Candle	2400K	840	0.4A	2A	20	50m	11mm	50mm	13m	
24V	14.64	120/m	9CH	9CH1	White	6000K	1385	0.61A	3.05A	20	50m	11mm	50mm	9m	
24V	14.64	120/m		9CH2	Natural White	4000K	1385	0.61A	3.05A	20	50m	11mm	50mm	9m	
24V	14.64	120/m		9CH3	Warm White	3000K	1385	0.61A	3.05A	20	50m	11mm	50mm	9m	
24V	20.4	120/m	9CU	9CU1	White	6000K	1700	0.85A	4.25A	20	50m	11mm	50mm	6m	
24V	20.4	120/m		9CU2	Natural White	4000K	1700	0.85A	4.25A	20	50m	11mm	50mm	6m	
24V	20.4	120/m		9CU3	Warm White	3000K	1700	0.85A	4.25A	20	50m	11mm	50mm	6m	
24V	11.8	120/m	9CY	CTA	CTA	3000-5500K	3000K: 488 5500K: 570	0.49A	2.45A	20	50m	11mm	100mm	9.2m	
24V	R: 4.45	60/m	9VL4	9VL4	RGB	RGB		Red: 66	0.19A	0.93A	20	50m	10mm	100mm	10m
	Green: 179							0.14A	0.69A						
	Blue: 42.6							0.13A	0.65A						

*All products are available in IP65; ^IES files available on request; *Please Note: Operating the strip without a proper heat-sink can permanently damage the electronics and void the warranty. Aluminium extrusions can be purchased from ENTTEC.



www.enttec.com

Controls . Lights . Solutions

ENTTEC PTY LTD
Head office : 7 Macro Court
Rowville VIC 3178 Australia
Tel : +61 3 9763 5755
Fax : +61 3 9763 5688
sales@enttec.com

ENTTEC EUROPE
F22-26 Parkhall Business Centre
40 Martell Road
London SE21 8EN, UK
Tel : +44(0) 2070616210
sales@enttec.co.uk

ENTTEC AMERICAS
604A Cornerstone Ct.
Hillsborough NC27278 USA
Tel & Fax : (888) 454-5922
sales.americas@enttec.com